

Discount Code(s): 038 Sch 40 PVC Clear Pipe _____
039 Sch 40 PVC Clear Molded Fittings thru 8" _____



PVC Clear Schedule 40 Pipe & Fittings



Quality Systems Certificate No. 293
Corporate Facilities, Sylmar, CA
Assessed to ISO 9001: 2000

Visit our web site:
www.spearsmfg.com

See Spears® On-line Catalog for most
current pricing, updated daily.

PRICE SCHEDULE 40L-1-0708
Effective July 28, 2008
Supersedes 40L-1-0308



PVC Clear Schedule 40 Pipe & Fittings

PIPE SPECIFICATIONS

Standard Length of pipe is 10 Feet. Custom lengths and sizes are available on special order from the pipe manufacturer. All pipe is packed in poly bags and boxed. This material complies with the provisions of Title 21 of the United States FDA Code of Federal Regulations, and is safe for use in food contact applications. Pipe has a UL 94 V-0 rating. Standard threading or grooving of Schedule 40 Clear pipe is not recommended due to insufficient wall thickness. Use specialty clear transition fittings for threaded assemblies or standard PVC transition fittings where applicable.

Part Number	Size	Avg. O.D.	Avg. I.D.	Min. Wall	Max. W.P. psi*	Lbs./Ft.	Feet Per Carton
PL-002	1/4	.540	.354	.088	390	.081	100
PL-003	3/8	.675	.483	.091	310	.109	100
PL-005	1/2	.840	.608	.109	300	.161	350
PL-007	3/4	1.050	.810	.113	240	.214	250
PL-010	1	1.315	1.033	.133	220	.315	250
PL-012	1-1/4	1.660	1.364	.140	180	.426	200
PL-015	1-1/2	1.900	1.592	.145	170	.509	160
PL-020	2	2.375	2.049	.154	140	.682	120
PL-025	2-1/2	2.875	2.445	.203	150	1.076	80
PL-030	3	3.500	3.042	.216	130	1.409	60
PL-040	4	4.500	3.998	.237	110	2.006	50
PL-060	6	6.625	6.031	.280	90	3.535	10
PL-080	8	8.625	7.943	.322	80	5.305	10

* For water at 73.4°F with solvent welded joints.


Prices subject to change without notice. Possession of this price schedule shall not be construed as an offer to sell the products listed. Product drawings are representative and may not fully reflect product configurations.

PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot




List Price Per Foot

PL-002	1/4	10	100	038	.92
PL-003	3/8	10	100	038	1.23
PL-005	1/2	10	350	038	1.83
PL-007	3/4	10	250	038	2.44
PL-010	1	10	250	038	3.63
PL-012	1-1/4	10	200	038	4.91
PL-015	1-1/2	10	160	038	5.89
PL-020	2	10	120	038	7.93
PL-025	2-1/2	10	80	038	12.51
PL-030	3	10	60	038	16.36
PL-040	4	10	40	038	24.63
PL-060	6	10	10	038	45.18
PL-080	8	10	10	038	67.52

See Pipe Specifications section for additional information.

Tee Soc



401-002L	1/4	25	150	039	9.48
401-003L	3/8	50	200	039	9.48
401-005L	1/2	50	300	039	7.14
401-007L	3/4	50	0	039	8.15
401-010L	1	50	0	039	15.25
401-012L	1-1/4	25	0	039	23.97
401-015L	1-1/2	25	0	039	29.07
401-020L	2	10	0	039	42.24
401-025L	2-1/2	10	0	039	139.25
401-030L	3	10	0	039	182.64
401-040L	4	6	0	039	330.64
401-060L	6	4	0	039	595.16
401-080L	8	2	0	039	1071.27

90° Ell Soc



406-002L	1/4	25	150	039	7.72
406-003L	3/8	50	300	039	7.72
406-005L	1/2	50	200	039	5.82
406-007L	3/4	50	300	039	6.37
406-010L	1	50	0	039	11.56
406-012L	1-1/4	25	0	039	20.37


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

90° Ell (continued)

Soc


406-015L	1-1/2	25	0	039	21.63
406-020L	2	25	0	039	34.28
406-025L	2-1/2	10	0	039	104.02
406-030L	3	10	0	039	124.46
406-040L	4	8	0	039	222.85
406-060L	6	5	0	039	401.13
406-080L	8	2	0	039	722.02

90° Street Ell Spig x Soc




409-005L	1/2	50	400	039	5.82
409-007L	3/4	50	0	039	6.37
409-010L	1	50	0	039	11.56
409-012L	1-1/4	25	0	039	20.37
409-015L	1-1/2	25	0	039	21.63
409-020L	2	10	0	039	34.28
409-025L	2-1/2	10	0	039	104.02

45° Ell Soc



417-002L	1/4	25	150	039	12.38
417-003L	3/8	25	150	039	12.38
417-005L	1/2	50	400	039	9.40
417-007L	3/4	50	300	039	14.51
417-010L	1	50	0	039	17.44
417-012L	1-1/4	25	0	039	24.66
417-015L	1-1/2	25	0	039	30.75
417-020L	2	10	0	039	40.08
417-025L	2-1/2	10	0	039	104.17
417-030L	3	10	0	039	161.71
417-040L	4	5	0	039	290.45
417-060L	6	8	0	039	522.80
417-080L	8	3	0	039	941.04

45° Street Ell Spig x Soc



427-005L	1/2	50	400	039	9.40
427-007L	3/4	50	0	039	14.51
427-010L	1	50	0	039	17.44
427-012L	1-1/4	25	0	039	24.66



PVC Clear Schedule 40 Pipe & Fittings


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

45° Street Ell (continued)

Spig x Soc


427-015L	1-1/2	25	0	039	30.75
427-020L	2	25	0	039	40.08
427-025L	2-1/2	10	0	039	104.17
427-030L	3	10	0	039	161.71
427-040L	4	5	0	039	290.45

Coupling Soc




429-002L	1/4	25	150	039	5.18
429-003L	3/8	50	300	039	5.18
429-005L	1/2	50	300	039	3.85
429-007L	3/4	50	200	039	5.19
429-010L	1	50	0	039	9.01
429-012L	1-1/4	25	150	039	12.28
429-015L	1-1/2	25	0	039	13.21
429-020L	2	10	60	039	20.59
429-025L	2-1/2	10	0	039	45.12
429-030L	3	10	0	039	70.78
429-040L	4	6	0	039	102.19
429-060L	6	5	0	039	183.96
429-080L	8	6	0	039	331.11

Female Adapter Soc x SR Fipt



435-002SRL	1/4	25	450	039	10.87
435-003SRL	3/8	25	300	039	10.87
435-005SRL	1/2	25	300	039	6.44
435-007SRL	3/4	25	300	039	8.06
435-010SRL	1	25	200	039	9.32
435-012SRL	1-1/4	10	80	039	14.31
435-015SRL	1-1/2	10	80	039	16.78
435-020SRL	2	10	0	039	22.60
435-025SRL	2-1/2	5	0	039	46.96
435-030SRL	3	10	0	039	76.66
435-040SRL	4	6	0	039	126.81

Male Adapter Mipt x Soc



436-003L	3/8	50	300	039	6.96
436-005L	1/2	50	300	039	5.19


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Male Adapter (continued)

Mipt x Soc


436-007L	3/4	50	400	039	5.82
436-010L	1	50	300	039	10.23
436-012L	1-1/4	25	0	039	12.34
436-015L	1-1/2	25	0	039	16.76
436-020L	2	25	0	039	21.86
436-025L	2-1/2	10	0	039	64.84
436-030L	3	10	0	039	94.72
436-040L	4	5	0	039	120.80

Reducer Bushing Spig x Soc



437-101L	3/4X1/2	50	300	039	5.99
437-131L	1X3/4	50	200	039	11.02
437-168L	1-1/4X1	25	150	039	14.51
437-211L	1-1/2X1	25	100	039	15.33
437-212L	1-1/2X1-1/4	25	100	039	15.33
437-251L	2X1-1/2	10	80	039	25.39
437-292L	2-1/2X2	10	40	039	40.83
437-338L	3X2	10	0	039	60.58
437-339L	3X2-1/2	10	0	039	60.58
437-422L	4X3	6	0	039	135.36
437-532L	6X4	5	0	039	272.39
437-585L	8X6	4	0	039	438.58

Cap Soc




447-002L	1/4	25	150	039	6.96
447-003L	3/8	50	300	039	6.96
447-005L	1/2	50	300	039	5.19
447-007L	3/4	50	300	039	5.99
447-010L	1	50	200	039	9.49
447-012L	1-1/4	25	100	039	13.21
447-015L	1-1/2	25	0	039	14.51
447-020L	2	10	80	039	17.49
447-025L	2-1/2	10	0	039	55.98
447-030L	3	10	0	039	55.11
447-040L	4	6	0	039	125.33
447-060L	6	4	0	039	225.60
447-080L	8	3	0	039	406.07

PVC Clear Schedule 40 Pipe & Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Wyes & Reducing Wyes Soc



475-015L	1-1/2	20	0	039	38.34
475-020L	2	10	0	039	56.44
475-030L	3	4	0	039	235.07
475-040L	4	4	0	039	427.98
475-060L	6	3	0	039	731.66
475-532L	6X4	5	0	039	731.66



PVC Clear Schedule 40 Pipe & Fittings

CONTENT

CATALOG INFORMATION

PIPE SPECIFICATIONS 1

PRODUCTS

PVC Clear Schedule 40 Pipe 10' Lengths, Price Per Foot	2
Tee Soc	2
90° Ell Soc	2
90° Street Ell Spig x Soc	2
45° Ell Soc	2
45° Street Ell Spig x Soc	2
Coupling Soc	3
Female Adapter Soc x SR Fipt	3
Male Adapter Mipt x Soc	3
Reducer Bushing Spig x Soc	3
Cap Soc	3
Wyes & Reducing Wyes Soc	4

NOTES

The Spears® Quality Policy

It is the policy and objective of Spears® Manufacturing Company to produce a superior quality product suitable for its intended use, with regard to functionality, structural integrity, and conformance to established industry standards and practices. It is the commitment of this Company to do so in a manner which provides consistency of product quality, optimum availability, and superior customer service, while maintaining efficiency of operations and profitability necessary to perpetuate product improvement and customer satisfaction. Furthermore, it is recognized that the attainment of these objectives is the responsibility of all Company operations and personnel according to their respective functions.



SPEARS® MANUFACTURING COMPANY • CORPORATE OFFICE

15853 Olden St., Sylmar, CA 91342 • PO Box 9203, Sylmar, CA 91392
(818) 364-1611 • www.spearsmfg.com



PACIFIC SOUTHWEST

15860 Olden St.
Sylmar (Los Angeles), CA 91342
(818) 364-1611 • (800) 862-1499
Fax (818) 367-3014

ROCKY MOUNTAIN

4880 Florence St.
Denver, CO 80238
(303) 371-9430 • (800) 777-4154
Fax (303) 375-9546

UTAH

5395 West 1520 South
Salt Lake City, UT 84104
(303) 371-9430 • (800) 777-4154
Fax (303) 375-9546

SOUTHEAST

4205 Newpoint Pl., Suite 100
Lawrenceville (Atlanta), GA 30043
(678) 985-1263 • (800) 662-6326
Fax (678) 985-5642

MIDWEST

1 Gateway Ct., Suite A
Bolingbrook (Chicago), IL 60440
(630) 759-7529 • (800) 662-6330
Fax (630) 759-7515

NORTHWEST

4103 C St. NE Suite 200
Auburn (Seattle), WA 98002
(253) 939-4433 • (800) 347-7327
Fax (253) 939-7557

SOUTH CENTRAL

4250 Patriot Dr., Suite 300
Grapevine (Dallas), TX 76051-2317
(972) 691-4003 • (800) 441-1437
Fax (972) 691-4404

NORTHEAST

590 Industrial Dr., Suite 100
Lewisberry (Harrisburg), PA 17339-9532
(717) 938-8844 • (800) 233-0275
Fax (717) 938-6547

FLORIDA

9563 Parksouth Court
Orlando, FL 32837
(407) 843-1960 • (800) 327-6390
Fax (407) 425-3563

INTERNATIONAL SALES

15853 Olden St.
Sylmar (Los Angeles), CA 91342
(818) 364-1611 • Fax (818) 898-3774